




## BEARING de Mexico?S.A.



### NTN 562008/GNP5 Impulse ball bearings

Bearing No. 562008/GNP5

Size	40x68x36 mm
Bore Diameter	40 mm
Outer Diameter	68 mm
Width	36 mm
d	40 mm
D	68 mm
T	36 mm
Category	Precision Ball Bearings
Inventory	0.0
Manufacturer Name	NTN
Minimum Buy Quantity	N/A
Weight / Kilogram	0.445
EAN	4547359310795
Product Group	B04270
Enclosure	Open
Precision Class	ABEC 5   ISO P5
Material - Ball	Steel
Number of Bearings	1 (Single)
Contact Angle	60 Degree
Preload	Light
Raceway Style	Not Applicable
Cage Material	Brass
Rolling Element	Ball Bearing
Mounting Arrangement	Universal
Flush Ground	Yes
Inch - Metric	Metric

562008/GNP5 Bearing 2D drawings and 3D CAD models



## BEARING de Mexico?S.A.

Other Features	Double Row   Angular Contact Thrust Bearing   Double Direction   Tapered Shaft Small Side Diameter Type
Long Description	40MM Bore; 68MM Outside Diameter; 36MM Width; Open Enclosure; ABEC 5   ISO P5 Precision; Steel Ball Material; 1 (Single) Bearings; 60 Degree Contact Angle; Brass Cage Material; Ball Bearing
Category	Precision Ball Bearings
UNSPSC	31171531
Harmonized Tariff Code	8482.10.50.28
Noun	Bearing
Keyword String	Angular Contact Ball
Manufacturer URL	<a href="http://www.ntnamerica.com">http://www.ntnamerica.com</a>
Manufacturer Item Number	562008/GNP5
Weight / LBS	0.981
Bore	1.575 Inch   40 Millimeter
Outside Diameter	2.677 Inch   68 Millimeter
Width	1.417 Inch   36 Millimeter
bore diameter:	40 mm
dynamic load capacity:	23800 N
outside diameter:	68 mm
operating temperature range:	-40 to 120 ° C
overall width:	36 mm
maximum rpm:	7500 rpm
thrust bearing type:	Double-Direction
bearing material:	High Carbon Chrome Steel
outside diameter design:	Straight
cage material:	Brass



## BEARING de Mexico?S.A.

separable or banded:	Separable
fillet radius:	1 mm
precision rating:	ISO Class 5
manufacturer product page:	<a href="#">Click here</a>
static load capacity:	58500 N